



Mietu

Specifikācijas lapa

Antiseptizēti un ar 3.klases impregnāciju				
Tips	Diametrs	Garums	GPP	Kods
PC	40	1200	600	V1
PC	40	1500	600	V3
PC	40	1650	600	V4
PC	40	1800	600	V5
PC	40	2400	600	V7
PC	50	1200	431	A1
PC	50	1500	431	A3
PC	50	1650	431	A4
PC	50	1800	431	A5
PC	50	2100	431	A6
PC	50	2400	431	A7
PC	60	1200	298	B1
PC	60	1500	298	B3
PC	60	1650	298	B4
PC	60	1800	298	B5
PC	60	2100	298	B6
PC	60	2400	298	B7
H	75	3660	203 X 2	D10
BB	75	3660	203	D11
PC	75	1500	203	D3
PC	75	1650	203	D4
PC	75	1800	203	D5
PC	75	2100	203	D6
PC	75	2400	203	D7
H	85	3660	150 X 2	E10
PC	85	1650	150	E4
PC	85	1800	150	E5
PC	85	2400	150	E7
BB	100	3000	105	F9
BB	100	3660	105	F11
H	100	3660	105 X 2	F10
CC	100	1000	105	F0
CC	100	1200	105	F27B
CC	100	1800	105	F5B
CC	100	2400	105	F7B
HP4C	100	1650	105 X 2	F4H
HP4C	100	1800	105 X 2	F5H
PC	100	1650	105	F4
PC	100	1800	105	F5
PC	100	2100	105	F6
PC	100	2400	105	F7
HP4C	110	1800	95 X 2	L5H
CC	125	2400	60	G7B
CC	125	3000	60	G8
CC	125	3600	60	G11
PC	125	2100	60	G6
PC	125	2400	60	G7
CC	150	2400	46	H7B
CC	150	3000	46	H8
CC	150	3600	46	H11
PC	150	2100	46	H6
PC	150	2400	46	H7
CC	200	2400	23	K7
CC	200	3000	23	K8
CC	200	3600	23	K11



Antiseptizēti un ar 3.klases impregnāciju				
Tips	Diametrs	Garums	GPP	Kods
log roll	*150	1800	150	LR06
log roll	*225	1800	100	LR09
log roll	*300	1800	75	LR12
P	50-75	1650	200	A1C
P	50-75	1800	200	A2C
P	50-75	2400	200	A3C
P	75-100	1650	120	B1C
P	75-100	1800	120	B2C
P	75-100	2100	120	B6C
P	75-100	2400	120	B3C
BB	75-100	2400	120	B3CB
P	75-100	3000	120	B8C
P	125-150	2100	49	D1C
P	125-150	2400	49	D2C
H	75-100	3660	120 X 2	B4C
P	100-125	1800	80	C4C
P	100-125	2100	80	C5C
P	100-125	2400	80	C6C
HP4	100-125	1650	80 X 2	C1C
HP4	100-125	1800	80 X 2	C2C
H	100-125	3660	80	C3C
P	150-175	2100	39	E1C
P	150-175	2400	39	E2C
P	175-200	2400	25	G2C

* Apmales platums

4.klases impregnācija				
Tips	Diametrs	Garums	GPP	Kods
PC	60	1650	252	B4
PC	60	1800	252	B5
PC	60	2400	252	B7
PC	75	1650	168	D4
PC	75	1800	168	D5
PC	75	2100	168	D6
PC	75	2400	168	D7
PC	85	1650	143	E4
PC	85	1800	143	E5
PC	100	1650	99	F4
PC	100	1800	99	F5
PC	100	2100	99	F6
PC	100	2400	99	F7
PC	100	3000	99	F9P
BB	100	3660	99	F11
CC	100	1200	99	F27B
PC	125	2100	56	G6
PC	125	2400	56	G7
CC	125	3600	56	G11
CC	150	1200	42	H27B
PC	150	2100	42	H6
PC	150	2400	42	H7
CC	150	3600	42	H11
HP4C	100	1650	105 X 2	F4H
HP4C	100	1800	105 X 2	F5H
HP4C	110	1800	95 X 2	L5H



4.klases impregnācija				
Tips	Diametrs	Garums	GPP	Kods
P	50-75	1650	160	A1C
P	50-75	1800	160	A2C
P	50-75	2400	160	A3C
P	75-100	1650	105	B1C
P	75-100	1800	105	B2C
P	75-100	2400	105	B3C
BB	75-100	2400	105	B3CB
P	75-100	2100	105	B6C
P	75-100	2700	105	B9C
P	75-100	3000	105	B8C
HP4	100-125	1650	72 X 2	C1C
P	100-125	1650	72	C8C
HP4	100-125	1800	72 X 2	C2C
P	100-125	1800	72	C4C
P	100-125	2100	72	C5C
HP4	100-125	2100	72 X 2	C7C
P	100-125	2400	72	C6C
P	100-125	2700	72	C9C
P	100-125	3000	72	C10C
HP4	125-150	1800	49 X 2	D5C
P	125-150	2100	49	D1C
P	125-150	2400	49	D2C
P	125-150	2700	49	D9C
P	125-150	3000	49	D10C
P	150-175	2100	36	E1C
P	150-175	2400	36	E2C
P	150-175	2700	36	E3C
P	150-175	3000	36	E10C
P	175-200	2100	23	G1C
P	175-200	2400	23	G2C
P	175-200	2700	23	G3C
P	175-200	3000	23	G10C



Izmantotie apzīmējumi

P	Asināts
C	Fāzēts
PC	Asināts + fāzēts
CC	Divpusēji fāzēts
BB	Taisni garināts
H	Garenzāgēti (pusītes)
HP4C	Četrpusēji asinātas pusītes ar fāzi
HP4	Četrpusēji asinātas pusītes